

EAST Search History**EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3310	((base near2 station) (access near2 point) node-b) with (ac zero-crossing alternat\$3 fluctuat\$3) with (terminal device \$5phone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:03
L2	153	((base near2 station) (access near2 point) node-b) with (ac zero-crossing alternat\$3) with (terminal device \$5phone) same (fluctuat\$3 interference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:04
L3	102	2 and ((@rlad<"20040405") or (@ad<"20040405"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:04
L4	8	3 and (ac zero-crossing alternat\$3).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:05
L5	29	((base near2 station) (access near2 point) node-b) with (ac zero-crossing alternating) with (terminal device \$5phone) same (fluctuat\$3 interference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:06
L6	420	((base near2 station) (access near2 point) node-b) with (ac zero-crossing alternating) with (terminal device \$5phone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:06
L7	243	6 and ((@rlad<"20040405") or (@ad<"20040405"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:06

L8	58	7 and (ac zero-crossing alternating).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:06
L9	5	((base near2 station) (access near2 point) node-b) with (terminal device \$5phone) same (zero-crossing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:08
L10	0	9 and ((@rlad<"20040405") or (@ad<"20040405"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:08
L11	15	((base near2 station) (access near2 point) node-b)) same (zero-crossing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:08
L12	2984	(terminal device \$5phone) same (zero-crossing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:09
L13	1575	(terminal device \$5phone) with (zero-crossing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:09
L14	790	(terminal device \$5phone) with detect\$3 with (zero-crossing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:09
L15	357	14 and (ac zero-crossing alternating).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:10
L16	240	15 and ((@rlad<"20040405") or (@ad<"20040405"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:10

L17	185	16 and (zero-crossing).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:10
L18	0	((base near2 station) (access near2 point) node-b)) and 17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:10
L19	0	18 and (mobile wireless portable pda cell\$4 mss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:11
L20	17	17 and (mobile wireless portable pda cell\$4 mss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:11
L21	17	(terminal device \$5phone) and 20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:21
L22	0	21 and (("455"/\$.ccls.) ("370"/\$.ccls.) ("709"/\$.ccls.) ("379"/\$.ccls.))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:22
L23	4	21 and (("455"/\$.ccls.) ("370"/\$.ccls.) ("709"/\$.ccls.) ("379"/\$.ccls.) ("375"/\$.ccls.))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:23
L24	4545	zero-crossing and ((mobile wireless portable pda cell\$4 mss ss terminal device \$5phone) same (ac zero-crossing alternating))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:34
L25	4250	24 and ((terminal device \$5phone) same (ac zero-crossing alternating))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:35

L26	3243	zero-crossing same (mobile wireless portable pda cell\$4 mss ss terminal device \$5phone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:36
L27	399	26 and (("455"/\$.ccls.) ("370"/\$.ccls.) ("709"/\$.ccls.) ("379"/\$.ccls.) ("375"/\$.ccls.))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:36
L28	61	((base near2 station) (access near2 point) node-b)) and 27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:37
L29	37	28 and ((@rlad<"20040405") or (@ad<"20040405"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:37
L30	30	29 and (zero-crossing same (station terminal device \$5phone))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:39
L31	134	(zero-crossing same (ac alternating)) and (("455"/\$.ccls.) ("370"/\$.ccls.) ("709"/\$.ccls.) ("379"/\$.ccls.) ("375"/\$.ccls.))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:48
L32	9	((base near2 station) (access near2 point) node-b)) and 31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:48
L33	4	32 and ((@rlad<"20040405") or (@ad<"20040405"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:48
L34	0	((base near2 station) (access near2 point) node-b)) same mosfet) and 33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:50

L35	2	(((((base near2 station) (access near2 point) node-b)) and mosfet) and 33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 13:50
S1	3	"20050163070"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/09 10:51
S2	2	"20070189242"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/09 11:25
S3	0	hp near2 slate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/09 11:33
S4	2	("7042972").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/09 12:16
S5	2067	(base near2 station) same commercial	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/09 13:29
S6	838	(base near2 station) with commercial	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/09 13:29
S7	8	((base near2 station) with commercial) same ac	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/09 13:29
S8	7	S7 and ((@rlad<"20040405") or (@ad<"20040405"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/09 13:30

S9	112	(ac with interference) same (positive and negative)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 11:59
S10	6	((ac with interference) same (positive and negative)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:00
S11	3	S10 and ((@rlad<"20040405") or (@ad<"20040405"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:00
S12	5	(ac with (zero or zero-frequency) with (base near2 station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:11
S13	3	S12 and ((@rlad<"20040405") or (@ad<"20040405"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:11
S14	5	(ac with (zero or zero-frequency zero-crossing) with (base near2 station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:12
S15	3	S14 and ((@rlad<"20040405") or (@ad<"20040405"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:12
S16	15	((alternating ac) with (zero or zero-frequency zero-crossing) with (base near2 station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:14
S17	11	S16 and ((@rlad<"20040405") or (@ad<"20040405"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:15

S18	2	((alternating ac) with (cross \$3) with (base near2 station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:18
S19	3	((alternating ac) with (cross \$4) with (base near2 station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:19
S20	15	((alternating ac) with (cross\$4 \$5cross) with (base near2 station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:20
S21	2	S20 and ((@rlad<"20040405") or (@ad<"20040405"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:20
S22	389	((alternating ac) with zero-crossing).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:40
S23	13	S22 and (bs or (base near2 station) or ap or (access near2 point) or bsic or btsid node-b).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:41
S24	12	S23 and ((@rlad<"20040405") or (@ad<"20040405"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:42
S25	0	S22 and ((base near2 station) or ap or (access near2 point) or bsic or btsid node-b).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:42
S26	120	((alternating ac) with zero-crossing) same (bs or (base near2 station) or ap or (access near2 point) or bsic or btsid node-b)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:43

S27	84	S26 and ((@rlad<"20040405") or (@ad<"20040405"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:43
S28	20	S27 and (zero-crossing).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:44
S29	0	S28 and ((base near2 station) (access near2 point) node-b)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:46
S30	1	S28 and (mobile wireless pda portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:47
S31	6	S27 and (mobile wireless pda portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:49
S32	34	S27 and ((zero-crossing) same terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:50
S33	67	S27 and ((zero-crossing) same terminal device \$5phone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:51
S34	64	S27 and ((zero-crossing) with terminal device \$5phone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:51
S35	21	S27 and ((zero-crossing) with terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:52

S36	5	S27 and ((base near2 station) (access near2 point) node-b)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:52
S37	0	((base near2 station) (access near2 point) node-b) same zero-crossing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:53
S38	15	((base near2 station) (access near2 point) node-b) same zero-crossing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:53
S39	8	S38 and ((@rlad<"20040405") or (@ad<"20040405"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:54
S40	8	((base near2 station) (access near2 point) node-b) and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/15 12:55

7/ 15/ 2010 3:24:51 PM

C:\Documents and Settings\fdonado\My Documents\EAST\Workspaces\10591747.wsp